Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices



MAINE AGRICULTURAL EXPERIMENT STATION.

BULLETIN No. 22.

SECOND SERIES.

INSPECTION OF FERTILIZERS.

W. H. JORDAN, Director.

J. M. BARTLETT, L. H. MERRILL, Chemists.

This bulletin is the second to be issued during the year 1895 giving a report of the official inspection of fertilizers. The first bulletin, No. 18, was published on March 9th, and gave the results of the analyses of Manufacturer's Samples. These samples were furnished by the manufacturers for inspection accountanied by an affidavit that they were like the goods which they represented "within reasonable limits."

The samples mentioned in this bulletin are almost wholly those selected by a Station representative at different points in the State from goods which were exposed or offered for sale. These samples were very carefully taken in accordance with the provisions of a law which seeks to guard the rights of the manufacturers, and they certainly represent the particular lots of goods from which they were selected.

The main purpose of selecting samples from the various brands of fertilizers as found in the open market is to ascertain if the goods actually on sale meet the requirements of the manufacturer's guarantees, and whether the manufacturer's samples, whose analyses are published in the Spring bulletin, are to any extent a safe guide in the purchase of fertilizers.

The comparison which follows shows very plainly what are the facts. It may be said that on the whole it appears that the manufacturers intend to deal fairly with the public in the matter of their guarantees, remembering always, of course, that no manufacturer can be held to have guaranteed more than the minimum percentage in which any ingredient is stated to be present.

Notwithstanding certain sarcastic, and we can but believe, unfriendly, criticisms, because this Experiment Station decided to drop the system of commercial valuations, there is no present intention of receding from that decision. There are already indications that farmers who are disposed to put intelligence into their business will themselves, through the information furnished by the

Station, make such calmettime as are necessary for their choice of the brand which they can most economically purchase and will in that way understand the situation as they could in no other way: and it is obvious that to those farmers who are so careless or uninformed as not to do this, the valuations made by the Station are likely to be nothing but a stumbling block.

Any system of aiding the farmer which is merely mechanical and which leaves out of account a proper study on his part of the facts with which he has to deal is false in theory and less helpful in practice than it should be.

The trade values of the fertilizing ingredients in raw materials and chemicals adopted for 1894 by several states, including Connecticut, Massachusetts and New Jersey, are given below.

TRADE VALUES OF FERTILIZING INGREDIENTS IN RAW MATERIALS AND CHEMICALS.

Nitrogen in ammonia salts	18.
nitrates	1/
Organic Nitrogen in dry and fine ground fish, meat and blood	
and in mixed fertilizers.	31 1
in cotton seed meal	12
in fine bone and tankage	16
in fine-medium bone and tankage	1
in medium bone and tankage	11
in coarser bone and tankage	ī,
in hair, horn shavings and coarse fish scrap.	5
Phosphoric acid, water-soluble	6
citrate-soluble	$5\frac{1}{2}$
of dry fine ground fish, bone and tankage	$5\frac{1}{2}$
of fine-medium bone and tankage	$4\frac{1}{2}$
of medium bone and tankage	3
of coarse bone and tankage	2
of fine ground fish, cotton seed meal and	
wood ashes	5
of mixed fertilizers insoluble in ammonium	
citrate	2
Potash as high-grade sulphate and in forms free from muriate	
(or chlorides)	$5\frac{1}{4}$
as muriate	$4\frac{1}{2}$

The organic nitrogen in superphosphates, special manures and mixed fertilizers of a high grade is usually valued at the highest figures laid down in the trade values of the fertilizing ingredients in raw materials, namely, 16 1-2 cents per pound; it being assumed that the organic nitrogen is derived from the best sources, viz., animal matter, as meat, blood, bones, or other equally good forms,

and not from leather, shoddy, hair or my low priced, inferior form of vegetable matter, unless the conserver ascertained. The insoluble phosphoric acid is valued in this connection at two cents.

The above trade values are the figures at which in the six months preceding March, 1895, the respective ingredients could be bought at retail for cash in our large markets, in the raw materials, which are the regular source of supply.

They also correspond to the average wholesale prices for the six months ending March 1st, plus about 20 per cent. in case of goods for which we have wholesale quotations. The valuations obtained by use of the above figures will be found to agree fairly with the retail prices at the large markets of standard raw materials, such as:

Salphate of Ammonia, Nitrate of Soda, Muriate of Potash, Sulphate of Potash, Dried Blood, Dried Ground Meat. Dry Ground Fish,
Azotin,
Ammonite,
Castor Pomace,
Bone and Tankage,
Plain Superphosphates.

Below is given a simple rule for calculating the commercial value of the several brands of fertilizers practically on the basis of the above trade values. In order to simplify the method all the attrogen is valued as organic, and all the potash as the migrate. This will have the effect of causing a slightly higher valuation of those brands containing nitrogen from nitrate of soda or potash from the sulphate, but will not change the figures sufficiently to affect their usefulness.

Multiply 161-2 cents by the percentage of nitrogen and this product by twenty;

Multiply 6 cents by the percentage of available phosphoric acid and the product by twenty;

Multiply 2 cents by the percentage of insoluble phosphoric acid and the product by twenty;

Multiply 5 1-4 cents by the percentage of potash and this product by twenty. Whenever it is stated that the potash exists chiefly as the muriate, 4 1-2 cents may be used as the price instead of 5 1-4.

The sum of these four final products will be the commercial valuation on the basis taken.

The valuation will be useful only as a means of determining whether one fertilizer has a selling price greater than another in

proportion to some standard of valuation. Such commercial valuations do not necessarily many the relative value for use on a particular farm.

The information to be found in the following tables is classified as follows:

- Table I. Description of Manufacturer's Samples.
 - " II. Analyses of Manufacturer's Samples.
 - " III. Description of Station Samples.
 - " IV. Analyses of Station Samples.
 - "V. Comparison of Guarantee, Manufacturer's Samples and Station Samples.

MANUFACTURERS WHO HAVE COMPLIED WITH THE LAW FOR THE YEAR 1895.*

E. Frank Coe Co., New York N.Y., one brand manufactured at New York, N.Y.

Great Eastern Fertilizer Co., Rutland, Vt., one brand manufectured at New York, N.Y.

Robert L. Merwin & Co., New York, N.Y., one brand manufactured at Biebrich, Germany.

Walker, Stratman & Co., Pittsburg, Pa., four brands, manufatured at Herr's Island, Alleghany, Pa.

^{*} Since Bulletin No. 18 was issued, March oth, 1895.

TABL!

DESCRIPTIVE LIST OF MANUFACTURER > 54 MPLES, 1895.*

	à										
	Place of Business.	New York, N. Y.	Rutland, Vt.	New York, N. Y.	South Brewer, Me.	, ,, ,, ,,	Pittsburg, Pa.	91	* **	99	Hallowell, Me.
in the second se	Manufacturer or Dealer.		ertilizer Co	in & Co	ring Co	""	m & Co	"	99	"	
	Manufac	E. Frank Coe Co	Great Eastern F	. Robert L. Merw	Nash Manufactu	;	. Walker, Stratma	"	* *	; ;	S. G. Otis
	Brand.	Celebrated Special Potato Fertilizer	Great Eastern General Dissolved Bone Great Eastern Fertilizer Co Rutland, Vt.	1884 Highly Concentrated Horticultural Manure Robert L. Merwin & Co New York, N. Y.	1376 Farmer's Friend Manure	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Pourfold Fertilizer	1880 Big Bonanza Fertilizer.	1381 Pot to Special Fertilizer	1382 Smoky City Pertilizer	1385 Otis Phosphate
	Sample Xumber.	1378	1383	1384	1376	1377	1379	1380	1381	1382	1385

* Received after March 15, 1895.

TABLE II. ANALYSES OF MANUFACTURERS' SAMPLES, 1895.*

Potash.	Station Station Number.	8781	1083	21.00 1384	1376	1377	1.00 1379	2.00 1380	5.00 1381	1.00 1382	138.5
Pot	% Found.	4.56		19.64 2	3.68	3.68	1.32	2.55	5.83	89.	3.07
	Total. Guaranteed.		:	13.00	:	:	11.00	15.00	13.00	15.00	
	Total.	11.41	18.15	13.33	10.44	9.47	11.28	9.98	11.41	14.19	11.85
Phosphoric Acid.	Available.		:	13.00	:	:	8.00	11.00	9.00	12.00	:
osphor	Available.	:	:	13.33	:		8.34	7.87	8.49	12.48	10.29
Ph	% Reverted.	1.67 2.38	13.342.23	1.62	1.838.61	.47 7.00	2.37 2.94	552.11	2.55 2.92	3.14 1.71	4.25 1.56
	% Soluble.	7.36 1	2.58 13	11.71	1	- 23	5.97 2	4.33 3	5.94 2	9.34 3	6.04 4
Nitrogen.	% Guaranteed.	:	:	.59 12.00	:	:	1.00	1.60	1.60	1.20	:
Nitr	% Found.	2.00	.13	11.59	3.04	3.05	1.54	1.98	2.45	1.29	2.79
	Moisture.	10.1	10.2	4.00	10.8	15.5	9.7	9.6	8.2	11.5	12.88
	Brand.	1378 Celebrated Special Potato Fertilizer	1383 Great Eastern General Dissolved Bone	Highly Concentrated Horticultural Manure	Farmer's Friend Manure		1379 Four-fold Fertilizer	Big Bonanza Fertilizer	Potato Special Fertilizer	Smoky City Fertilizer	Otis Phosphate
	Station Number.	30	83	1384	1376	1377	618	1380	1381	1282	1385

* Received after March 15, 1895.

TABLE III.

DESCRIPTIVE LIST OF STATION SAMPLES.

Sample No.	Brand.	Manufacturer.	Sampled at
1334	Americus Brand Amm. Bone Super	Williams & Clark Fert. Co.	Portland.
1339	" Corn Phos		44
1337	" Potato & Cabbage Manure		
1300	" Potato Manure	Williams & Clark Fert Co.	Houlton.
1305	Bay State Fertilizer	Clark's Cove Fert. Co	Caribou.
1371	Bay State G. G. Fert.		Orono.
1312	Bay State Seeding_Down Fert		Bangor.
1356	Bowker's Farm and Garden Phos	Bowker Fert. Co	46
1860	" Market Garden Fert		6.6
250	" Potato Phosphate	" " "	.6
lan.	" Potato and Veg. Manure		Caribou.
201	" Square Brand Bone & Potash		Bangor.
1319	Bradley's Corn Phos	Bradley Fert. Co	• 6
1350	" English Lawn Fert		Portland.
1318	· Eureka Fert		Bangor.
1291	" Potato Fert	66	Houlton.
1289	" Potato Manure		66
1317	" Sea Fowl Guano		Bangor.
1290	" X. L. Super		Houlton.
1293	Cleveland Fertilizer	Cleveland Dryer Co	66
1292	" High Grade Complete Man.		66
1294	· Potato Phosphate		66
1322	" Superphosphate	" " "	Brunsw'k
1297	Coe's Columbian Brand Amm. Bone		Houlton.
1372	" Grass and Grain Fert		Bangor.
1310			• •
1295	" High Grade Potato Fert		Houlton.
1296	1		"
1330	Crocker's Amm. Corn Phos		Freeport.
1302	" Potato, Hop & Tob. Phos	66 66 66	Caribou.

DESCRIPTIVE LIST OF STATION SAMPLES—Continued.

Sample No.	Brand.	Manufacturer.	Sampled at
1328	Crocker's Superior Rye & Oats Phos.	Crocker Fert. & Chem. Co.	Freeport.
1346	Cumberland Conc't Phosphate	Cumb'd Bone Phos. Co	Portland.
1299	" Guano	66 .6	Houlton.
1298	" Potato Fert	66 6. 66	66
1311	" Seeding Down Fert	66 6. 66	Bangor.
1301	" Superphosphate	66 66 66	Houlton.
1374	Dirigo Grass and Grain Fert	Sagadahoc Fert. Co	Augusta
1369	Farrar's Lawn Phos	F. S. Farrar & Co	Bangor.
1370	" Potato Manure		. 6
1368	" Superphos	" " "	66
1357	Gloucester Fish and Potash	Bowker Fert. Co	66
1348	Grass and Grain Fert	Pacific Guano Co	Portland.
1325	Great Eastern Gen'l Corn Phos	Great Eastern Fert. Co	Freeport.
1309	" Potato Manure		Caribou.
1323	" " Grass & Oats Phos		Freeport.
1307	King Phillips Alkaline Guano	Clark's Cove Fert. Co	Caribou.
1327	New Rival Amm. Super	Crocker Fert. & Chem. Co.	Freeport.
1233	Nobsque Guano	Pacific Guano Co	Portland.
1320	Original Coe's Super. of Lime	Bradley	Newport.
1351	Potato Special Fert	Walker, Stratman & Co	Portland.
1341	Quinnipiae Corn Manure	Quinnipiac Fert. Co	46
1344	" Grass Fert		66
1335	Market Garden Manure	٠، ، ، ، ، ، ، ، ، ، ، ، ، ، ، ، ، ، ،	44
1345	· ' Phosphate	66 . 64	46
1343	" Potato and Cabbage Fert	66 66 64	.6
1288	" Potato Phos	66 16	Houlton.
1336	" Potato and Tob. Fert	"	Portland.
1340	" Seeding Down Manure		66
1364	Read's Standard for all Crops	D. H. Foster	Bangor.
1365	" Practical Potato Special Fert.	66 66	46
1366	· Veg. and Vine Fert		"

DESCRIPTIVE LIST OF STATION SAMPLES—Continued.

Sample No.	Brand.	Manufacturer.	Sampled at
1338	Royal Bone Phos	Williams & Clark Fert.Co.	Portland.
1367	Sagadahoc Hill and Drill Phos	Sagadahoc Fert. Co	Augusta.
1373	" Special Potato Fert		66
1314	Soluble Pacific Guano	Pacific Guano Co	Bangor.
1349	Special for Potatoes and Tob	66 66 66	Portland.
1326	Standard A. Brand	Standard Fert. Co	Freeport.
128	" Fertilizer	46 46 46	Houlton.
1313	" Guano	66 66 6	Bangor.
1315	" Potato and Tob. Fert		44
1354	Stockbridge Top Dressing Manure	Bowker Fert. Co	66
1353	" Seeding Down Manure	24 64 66	**
1352	Sweet Corn Brand	Walker, Stratman & Co	Auburn.
1347	Williams & Clark High Grade Special	Williams & Clark Fert. Co.	Portland.
1342	" Potato Phos	66 66	*6

TABLE IV.
ANALYSES OF STATION SAMPLES.

-	Commitment of the Committee of the Commi									-	
					Phos	phoric A	Leid.				
	Brand.	.9'IuteioM	Nitrogen.	Soluble.	Reverted.	*əlqnlosu]	.9ldslisvA	Total.	Potash.	Sample Number.	
America	s Brand Amm. Bone Super	11.55	2.67	5.07	4.38	1.59	9.45	11.04	1.73	1334	
3	Corn Phosphate	10.57	2.00	4.22	5.69	2.93	9.91	12.84	1.46	1339	
"	Potato and Cabbage Manure	11.7	2.15	2.84	5.43	3.19	8.27	11.46	3.04	1337	
ï	Potato Manure	14.48	2.03	5.68	3.12	2.80	8.80	11.60	3.21	1300	
Bay Stat	e Fertilizer	14.02	2.86	7.46	2.35	1.42	9.81	11.23	2.76	1305	
Bay Stat	e G. G. Fertilizer	15.5	2.07	5.43	2.35	2.57	7.74	10.31	2.52	1371	
Bay Stat	e Seeding Down Fertilizer	12.1	1.00	4.78	3.97	2.11	8.75	10.86	1.98	1312	
Bowker,	s Farm and Garden Phosphate	15.17	2.01	3.97	4.07	3.73	8.04	11.77	2.43	1356	
3	Market Garden Fertilizer	10.85	2.83	5.26	1.98	3.66	7.24	9.90	69.6	1360	
3	Potato Phosphate	9.7	1.99	3.66	4.13	3.97	7.79	11.76	2.37	1363	
3	Potato and Vegetable Manure	10.98	2.28	00.9	3.69	4.22	69.6	13.91	4.01	1303	
"	Square Brand Bone and Potash	7.28	1.99	1.28	3.65	8.03	4.93	12.96	2.55	1361	
"	Sure Crop Phosphate	13.95	1.00	5.62	3.79	3.81	9.41	13.22	1.39	1355	
	America " Bay Stat Bay Stat Bay Stat Bowker' " " "	icus tate tate cer's.		Moisture. 11.55 10.57 11.7 11.7 11.02 15.5 10.85 10.98 7.28	Moisture. 11.55 11.55 11.55 11.48 14.48 14.48 12.03 14.02 12.1 10.85 12.03 10.98 11.99 11.99 11.99 11.99	Moisture. Moisture. 11.56 11.56 14.48 2.07 14.48 2.08 14.48 2.08 14.48 2.08 14.48 2.08 14.7 12.1 12.1 13.97 Mitrogen. 5.67 4.7 5.01 14.02 5.68 3.7 14.02 5.68 3.8 14.02 12.1 10.85 5.68 3.9 10.85 6.00 7.28 11.99 7.28 11.99 7.28 11.99 7.28 11.99 7.28 11.99 7.28 11.99 7.28 11.99 7.28 11.99	Moisture. Moisture. 11.56 11.56 12.07 14.48 2.08 14.48 2.08 14.48 2.08 14.48 2.08 14.70 2.15 2.84 5.68 3.1 15.6 10.85 2.82 1.99 1.99 1.99 1.28 1.99 1.28 1.99 1.28 1.39 1.39	Moisture. Moisture. Moisture. Miltroggen. 11.56 12.07 14.48 2.08 14.48 2.09 14.70 2.15 2.07 4.22 5.69 2.37 14.92 16.85 17.99 17.28 18.95 1.00 Phosphoric Ac Phosphoric Ac Indeed Inde	Moisture. Moisture.	Moisture. Moisture.	Moisture. Moisture.

ANALYSES OF STATION SAMPLES - Continued

	Sample Xumber.	1316	1319	1350	1318	1291	1289	1317	1290	1293	1292	F661	1322	1297	1372
	Potash.	5.80	1.75	3.65	2.43	3.06	5.51	1.92	2.43	3.08	6.10	2.20	2.06	1.33	2.25
	.lstoT	11.30	12.19	19.61	11.56	11.19	8.89	12.56	11.49	10.49	11.68	12.25	12 46	11.73	14.53
A eid.	.9ldslisvA	9.43	9.94	7.86	9.39	8.58	5.91	9.58	9.06	7.64	7.79	9.44	10.66	8.93	9.28
Phosphoric Acid.	.aldııble.	1.87	2.25	1.75	2.17	2.61	3.08	86 7	2.43	2.85	3.89	2.81	9.34	2.79	4.25
Pho:	Reverted.	4.59	2.33	6.64	5.69	1.89	9.71	4.45	2.93	3.84 2.84	5.64	5.90	7.50	2.06	- 3.48
	Soluble.	4.84	1.61	1.22	6.70	69.9	3.20	5.13	6.14	3.80	2.15	3.64	9.56	6.87	5.80
	Vitrogen.	3.61	2.30	5.23	2.13	2.36	2.55	2.26	2.46		2.85	1.92	9.17	1.46	- 16
	Moisture.	11.09	14.70	8.40	13.90	13.12	11.00	13.02	14.40	11.20	11.28	14.00	11.95	9.60	7.55
	Brand.	Bradley's Complete Manure for Potatoes & Vegetables	" Corn Phosphate	" English Lawn Fertilizer	" Kureka Fertilizer	" Potato Fertilizer	" Potato Manure	" Sea Fowl Guano	" X. L. Superphosphate	Cleveland Seeding Down Fertilizer	" High Grade Complete Manure	" Potato Phosphate	« Superphosphate	Coe's Columbian Brand Amm. Bone	" Grass and Grain Fertilizer
	Sample Zumber.	1316	1319	1350	1318	1891	1289	1317	1290	1293	1292	1294	1322	1297	1872

ANALYSES OF STATION SAMPLES—Continued.

					Phos	Phosphoric Acid	reid.			
Sample Number.	Brand.	Moisture.	Nitrogen.	Soluble,	Reverted.	.efduloeaI	.9ldslisv&	.fstoT	Potash.	Sample. Number.
1310	Coe's High Grade Amm. Bone Super	9.65	2.07	76.7	2.07	2.55	10.04	12.59	1.47	1310
1295	" High Grade Potato Fertilizer	9.40	2.16	7.70	.34	5.64	8.04	10.68	5.78	1295
1296	" Special Potato Fertilizer	10.35	1.83	69.9	2.93	2.71	9.63	12.33	3.71	1296
1330	Crocker's Amm. Corn Phosphate	11.40	2.25	6.88	3.14	1.61	10.03	11.63	1.69	1330
1302	" Potato, Hop and Tobacco Phosphate	11.60	2.10	7.43	3.06	96.	10.49	11.45	3.51	1302
1328	" Superior Rye and Oats Phosphate	13.98	1.31	6.91	3.06	1.59	9.97	11.56	1.89	1328
1346	Cumberland Concentrated Phosphate.	10.97	3.54	4.55	4.00	2.75	8.55	11.30	6.78	1346
1299	" Guano	11.78	1.41	4.48	4.41	1.27	8.89	10.16	1.84	1299
1298	" Potato Pertilizer	12.80	2.28	4.38	4.18	3.40	8.56	11.96	1.83	1298
1311	Seeding Down Fertilizer	12.90	1.03	5.85	2.05	1.69	7.90	9.:9	2.4	1311
1301	" Superphosphate	14.95	1.88	4.35	3.01	1.96	7.36	9.35	1.51	1301
1374	Dirigo Grass and Grain Fertilizer	9.3	2.07	2.70	3.82	6.32	6.55	12.84	3.56	1374
1369	Farrar's Lawn Phosphate	13.17	4.96	2.21	7.20	66.7	9.41	12.40	4.88	1369
1370	" Potato Manure	14.48	2.70	3.95	. 0.	3.66	9.17	12.83	3.77	1370

ANALYSES OF STATION SAMPLES-Continued.

		Sample Number.	1368	1357	1348	1325	1300	1323	130	1327	1333	1320	1351	1341	1344	1335
		Potash.	2.29	1.11	1.42	2.24	3.87	1.56	3.15.	1.64	1.54	1.86	6.44	1.61	3.21	6.53
		Total.	12.22	13.06	8.51	9.74	11.50	14.46	10.16	12.11	11.31	11.83	10.89	12.23	6.24	11.55
	reid.	.oldaliavA	8.57	9.25	7.50	8.74	10.22	11.90	8.06	10.02	9.26	9.03	9.33	9.13	4.96	10.39
	Phosphoric Acid.	Insoluble.	3.65	3.81	1.01	1.00	1.28	2.56	2.10	2.00	2.02	2.80	1.56	3.10	1.28	1.16
Consequence.	Phos	Reverted.	2.30	5.53	4.90	7.10	2.76	7.76	4.77	3.70	5.00	2.95	2.08	4.40	2.84	5.49
		Soluble.	6.27	3.72	2.60	1.64	7.46	4.14	3.29	6.32	4.26	80.9	7.25	4.73	2.12	4.90
DIALION DAMFLES		Nitrogen.	2.26	1.16	1.02	2.97	2.05	.13	1.46	1.25	1.12	2.32	1.88	1.96	4.17	3.39
C NOIT		Moisture.	15.00	19.13	9.63	17.00	12.70	7.40	9.90	13.22	9.42	13.12	8.60	12.80	7.25	10.81
ANALISES OF SIA		Brand.	Farrar's Fertilizer	Gloucester Fish and Potash	Grass and Grain Fertilizer	Great Eastern General Corn Phosphate	" " Potato Manure	" Grass and Oats Phosphate	King Phillips Alkaline Guano	New Rival Amm. Superphosphate	Nobsque Guano	Original Coe's Superphosphate of Lime	Potato Special Fertilizer	Quinnipiac Corn Manure	" Grass Fertilizer	" Market Garden Manure
		Sample Number.	1368	1357	1348	1325	1300	1323	1307	1327	1333	1320	1351	1341	1344	1335

ANALYSES OF STATION SAMPLES-Continued.

					Phos	Phosphoric Acid.	Acid.			
Sample Zumber.	Brand.	Moisture.	.negorti V	Soluble.	Reverted.	Insoluble.	.oldaliav A	Total.	Potash.	Sumple Number.
1345	Quinnipiac Phosphate	13.68	2.35	4 44	5.09	3.01	9.53	% 12.54	2.35	
1343	" Potato and Cabbage Fertilizer	11.30	2.37	3.21	2 93	5.64	6.14	11.78	2.91	301.
12.88	" Potato Phosphate	9.73	2.47	3.83	5.34	3.56	9.17	19.73	2.74	12.08
336	" Potato and Tobacco Fertilizer	14.70	2.07	4.29	9	2 05	10.14	12.19	3.05	1500
1340	"Seeding Down Manure	10.55	1.13	3.80	4.36	1.52	8.16	9.68	1.3	1340
1364	Read's Standard for All Crops	14.90	1.02	6.13	1 97	19.	8.10	8.71	3.98	1364
1365	" Practical Potato Special Fertilizer	12.60	1.09	2.94	1.41	.41	4.35	4.76	8.30	1365
1366	" Vegetable and Vine Fertilizer	12.72	1.88	3.54	2.03	1.38	5 57	6.95		1366
1338	Royal Bone Phosphate	9.40	1.13	3.13	5.08	1.09	8.21	9.30	1.68	1338
1367	Sagadahoc Hill and Drill Phosphate	11.70	5.90	3.52	4.09	1.55	7.61	9.16	4.23	1367
1373	" Special Potato Fertilizer	14.18	2.73	5.01	1.89	1.39	4.90	8.29	7.05	1373
1314	Soluble Pacific Guano	12.25	2.34	3.57	5.98	4.06	9.55	13.61	1.86	1314
1349	Special for Potato and Tobacco	12.23	2.45	4.93	4.03	9.93	8.96	11.88	9.15	.1349
1326	Standard A. Brand	00 6	1 00	31	3.61	96.7	8.43	11.39	2.03	1326

ANALYSES OF S ALION SAMPLES - Continued.

	Sample Number.	1287	1313	1315	À	CALL PAS	15°.5	=	1347	1342
	Potash,	%.88 88.88	3.24	3.38	6.93	6.51	10.19	2.04	6.24	4.30
	-fatoT	10.72	8.66	10.75	10.50	8.98	12.20	11.45	11.78	10.58
Acid.	.9ldslisvA	8.27	6.38	9.28	8.03	5.37	7.59	7.28	8.89	7.02
Phosphoric Acid.	Insoluble.	2.47	2.28	1.47	2.47	3.61	4.61	4.17	2.80	3.56
Pho	Reverted.	2.45	2.16	2.31	1.97	1.85	3.04	3.70	3.01	5.87
	Soluble.	5.80	4.22	6.97	90.9	3.52	4.55	3.58	5.88	1.15
	.nagoniN	2.08	1.59	2.04	3.24	4.80	2.46	1.62	3.53	2.47
	.97uisture.	16.87	13.88	13.70	10.70	10.90	10.17	10.90	10.60	9.01
	Brand.	" Fertilizer	Guano	" Potato and Tobacco Fertilizer	Stockbridge Potato and Vegetable Manure	" Top Dressing Manure	" Seeding Down Manure	Sweet Corn Brand	Williams & Clark High Grade Special	" Potato Phosphate
	Sample Number.	1237	1313 /	1315	1358	1354	1353	1352	1347	1342

JABLE V.

COMPARISON OF GUAL WEST WANUFACTURER'S SAMPLES AND STATION SAMPLES.

	Ni	troge	en.		osphoi Acid.	ric	Potash.		
Brand.	Guaranteed.	Mauufacturer's Sample.	Station Sample.	Guaranteed.	Manufacturer's Sample.	Station Sample.	Guaranteed.	Manufacturer's Sample.	Station Sample.
	%	%	%	%	%	%	%	%	%
Americus Brand Amm. Bone Sup.	2.47	2.80	2.67	9.00	9.50	9.45	2.00	2.63	1.73
Bay State Fertilizer	2.47	2.72	2.86	9.00	9.67	9.81	2.00	2.65	2.76
Bay State G. G. Fert	1.85	2.36	2.07	8.50	9.72	7.74	2.00	2.62	2.52
Bay State Seeding Down Fert	1.03	2.33	1.00	8.00	9.73	8.75	2.00	2.59	1.98
Bowker's Farm and Garden Phos	1.64	1.86	2.01	8.00	8.28	8.04	2.00	2.21	2.43
Bowker's Potato Phos	1.64	1.58	1.99	8.00	9.75	7.79	2.00	1.92	2.37
Bowker's Potato and Veg. Manure	2.50	2.54	2.28	8.00	6.33	1	4.00		
Bowker's Sq. Br'nd Bone & Potash	1.50	1.79	1.99	4.00	6.40	4.93	2.00	2.21	2.55
Bowker's Sure Crop Phosphate	-82	1.02	1.00	8.00	7.84	9.41	1.00	1.16	1.39
Bradley's Complete Manure for Potatoes and Vegetables	3.70	4.10	3.61	8.00	9.44	9.43	6.00	7.16	5.80
Bradley's Corn Phosphate	2.06	2.59	2.30	9.00	10.57	9.94	1.50	1.68	1.75
Bradley's Eureka Fertilizer	1.65	2.00	2.13	5.00	7.93	9.39	2.00	1.95	2.42
Bradley's Potato Fertilizer	2.06	2.11	2.36	9.00	10.67	8.58	3.24	3.07	3.06
Bradley's Potato Manure	2.47	2.61	2.55	6.00	7.31	5.91	5.00	5.43	5.51
Bradley's X. L. Superphos	2.47	2.70	2.46	9.00	11.13	9.06	2.00	2.27	2.43
Cleveland Seeding Down Fert	1.65	1.65	1.33	5.00	9.14	7.64	2.00	2.23	3.08
Cleveland Potato Phosphate	2.06	2.16	1.92	8.00	10.47	9.44	3.00	3.21	2.20
Cleveland Superphosphate	2.06	2.39	2.17	9.00	9.89	10.06	2.00	2.71	2.06
Coe's Columb'n Br'nd Amm. Bone	1.00	1.33	1.46	9.00	9.45	8.93	1.85	1.68	2.25
Coe's High Grade Amm. Bone Sup.	2.00	1.68	2.07	9.00	9.19	10.04	1.85	2.82	1.47
Coe's High Grade Potato Fert	2.40	2.22	2.16	8.00	8.31	8.04	6.00	6.64	5.78
Coe's Special Potato Fert	1.50	1.67	1.83	9.00	10.24	9.62	3.50	1.94	3.71
Crocker's Amm. Corn Phos	2.00	1.90	2.25	10.00	10.53	10.02	1.60	1.72	1.69

COMPARISON OF GUARANTEES—Continued.

	Ni	troge	n.		sphor Acid.	Potash.			
Brand.	Guaranteed.	Manufacturer's Sample.	Station Sample.	Guaranteed.	Manufacturer's Sample.	Station Sample.	Guaranteed.	Manufacturer's Sample.	Station Sample.
	%	%	%	%	%	%	%	%	%
Crocker's Potato, Hop & Tob. Phos.	2.00	2.04	2.10	10.00	10.34	10.49	3.25	3.65	3.51
Crock'r's Superior Rye&Oats Phos	.82	.86	1.31	8.00	8.43	9.97	2.00	1.76	1.82
Cumb'd Conc'. Phos. for Potatoes.	3.30	3.80	3.54	8.00	9.12	8.55	7.00	7.11	6.78
Cuma'd Potato Fert	2.06	2.16	2.28	9.00	9.81	8.56	3.00	2.88	1.83
Cumb'd Seeding Down Fert	1.23	1.20	1.03	8.00	8.34	7.90	2.00	2.11	2.41
Cumb'd Superphosphate	2.06	1.95	1.88	8.00	10.26	7.36	2.00	1.65	1.51
Dirigo Grass and Grain Fert	2.00	1.82	2.07	6.00	5.22	6.52	3.50	3.62	3.56
Farrar's Fertilizer	2.50	2.56	2.26	9.50	11.50	8.57	2.00	1.63	2.29
Farrar's Potato Manure	2.50	2.33	2.70	9.50	10.22	9.17	3.00	3.32	3.77
Great Eastern Gen. Corn Phos	3.00	3.06	2.97	8.00	9.20	8.74	2.00	3.43	2.24
Great Eastern Gen. Potato Manure	2.50	2.35	2.05	8.00	10.04	10.22	4.00	5.71	3.87
Gr't East'n Gen. Grass&OatsPhos.			.13	10.60	10.99	11.90	2.00	2.15	1.56
King Phillips Alkaline Guano	1.23	1.79	1.46	6.50	8.26	8.06	3.00	3.66	3.15
New Rival Amm. Super	1.20	1.00	1.25	10.00	11.07	10.02	1.60	1.57	1.64
Nobsque Guano	1.15	1.23	1.12	9.00	8.91	9.26	2.00	2.25	1.54
Potato Special Fertilizer	1.60	2.45	1.88	9.00	8.49	9.33	5.00	5.83	6.44
Quinnipiac Market Gard'n Manure	3.30	3.89	3.39	8.00	9.43	10.39	7.00	7.47	6.53
Quinnipiac Phosphate	2.47	2.74	2.35	9.00	9.38	9.53	2.00	2.72	2.35
Quinnipiac Potato Manure	2.47	2.71	2.47	6.00	7.67	9.17	5.00	5.80	2.74
Quinnipiac Seeding Down Manure	.82	1.23	1.13	9.00	9.46	8.16	2.00	2.26	1.71
Read's Standard for All Crops	.83	1.08	1.02	8.00	8 71	8.10	4.00	3.77	3.98
Read's Practical Potato Spec.Fert.	.83	1.01	1.09	4.00	4.40	4.35	8.00	8.24	8.30
Read's Veg. and Vine Fertilizer	1.65	1.72	1.88	6.00	5.68	5.57	8.00	8.21	8.77
Royal Bone Phosphate	1.03	1.26	1.13	7.00	9.31	8.21	2.00	2.26	1.68
Sagadahoc Hill and Drill l'hos	2.50	2.22	2 90	8.00	9.24	7.61	2.50	4.53	4.23

AGRICULTI MENT STATION.

COMPARISON TEES—Continued.

t som en en trigere. Como en de cado

100	Ni	trog	en.		ospho Acid.	rić	Potash.			
Brand.	Guaranteed.	Manufacturer's Sample.	Station Sample.	Guaranteed.	Manufacture r's Sample.	Station Sample.	Guaranteed.	Manufacturer's Sample.	Station Sample.	
	%	%	%	%	%	%	%	%	%	
Sagadahoe Special Potato Fert	3.00		2.72	7.00		4.90	8.00	·	7.05	
Soluble Pacific Guano	2.27	2.37	2.34	8.50	9.75	9.55	2.00	2.61	1.86	
Standard A. Brand	1.20	1.27	1.39	8.00	9.42	8.43	2,00	2.37	2.03	
Standard Fertilizer	2.00	2.44	2.08	8.00	10.00	8.27	2.00	2.67	3.88	
Standard Guano	1.23	1.75	1.59	6.50	8.61	6.38	3.00	3.69	3.24	
Stockbridge Potato & Veg Manure	3.25	3.43	3.24	6.00	7.71	8.03	7.00	5-18	5-04	
Stockbridge Top Dressing Manure	5.00	4.66	4.80	4.00	7.16	5.37	6.00	6 0	0.51	
Stockbridge Seeding DownManure	2.50	2.19	2.46	6.00	7.48	7.59	10.00	1(30	10.15	
Williams&Clark High Grade Spec'l	3.70	3.97	3.53	7.00	9.60	8.89	7.00	7 26	6 24	

In Table V. a comparison is made of the samples selected by a Station representative, the manufacturer's samples and the minimum guarantees.

The important considerations are the following:

- (1.) Fifty-seven brands are involved in this comparison.
- (2.) The averages for nitrogen are: Guarantee, 1.99 per cent., manufacturer's sample, 2.14 per cent., Station sample, 2.09 per cent. For available phosphoric acid the averages are: Guarantee, 7.84 per cent., manufacturer's sample, 9.05 per cent., Station sample, 8.58 per cent. For potash: Guarantee, 3.31 per cent., manufacturer's sample, 3.60 per cent., Station sample, 3.42 per cent.
- (3.) In the fifty-seven brands, the Station sample as compared with the manufacturer's sample was, in nitrogen practically the same twenty-three times, poorer twenty-two times and better twelve times; in available phosphoric acid, practically the same fourteen times, poorer thirty-one times and better twelve times; in potash, practically the same sixteen times, poorer twenty-four times and better seventeen times.
- (4.) Comparing the Station sample with the minimum guarantee, the Station sample was, in nitrogen, practically the same twenty-seven times, poorer nine times, better twenty-one times; in available phosphoric acid, practically the same twenty times, poorer seven times, better thirty times; in potash, practically the same seventeen times, poorer fourteen times, and better twenty-six times.

It is quite customary for manufacturers to state a minimum and a maximum guarantee for the percentages of the ingredients of their goods, as for instance the guarantee for available phosphoric acid would be 8 to 10 per cent. The above comparisons indicate that the manufacturers do not intend to do much more than make good the minimum guarantee, and that this is all the purchaser can safely expect.

It is gratifying to note that as a rule the fertilizers sold in the State are well up to this guarantee. Indeed, there is no case which appears to be an attempt to defraud, although in a few instances the particular lots of goods sampled are not quite as good as they should be.

Maine State College, Orono, Me., 1895.